

STIC Search Report

STIC Database Tracking Number: 156820

TO: Thomas Pham Location: RND 5a28

Art Unit: 2121

Friday, June 17, 2005

Case Serial Number: 09/829524

From: Carol Wong Location: EIC 2100

RND 4A30

Phone: 272-3513

carol.wong@uspto.gov

Search Notes

Dear Examiner Pham,

Attached are the search results (from commercial databases) for your case.

Color tags mark the patents/articles which appear to be most relevant to the case.

Please call if you have any questions or suggestions for additional terminology, or a different approach to searching the case.

Thanks, Carol



```
File 347: JAPIO Nov 1976-2005/Feb (Updated 050606)
         (c) 2005 JPO & JAPIO
File 350: Derwent WPIX 1963-2005/UD, UM &UP=200538
         (c) 2005 Thomson Derwent
Set
                Description
        Items
                MULTISERVER?
S1
           32
S2
       168722
                SERVER? OR CLIENTSERVER? OR RAS OR MAILSERVER? OR WEBSERVE-
             R? OR PRINTSERVER? OR FILESERVER? OR HTTPSERVER? OR FTPSERVER?
S3
           13
                MICROSERVER? OR MINISERVER? OR PROXYSERVER? OR DATASERVER?
                (PLURALIT? OR MANY OR MULTI OR SEVERAL OR NUMEROUS OR ADDI-
         2054
S4
             TIONAL OR DIFFERENT OR MULTIPLE OR MULTITUD? OR PLURIF?) (1W) S-
             2:S3
         1847
                (PLURIF? OR SECOND? OR 2ND OR BOTH OR VARIETY OR GROUP? ? -
S5
             OR CLUSTER? ? OR NUMBER OR ALTERNATIVE OR PAIR? ?) (1W) S2:S3
         5937
                (NETWORK? ? OR CHAIN? ? OR SERIES OR ANOTHER OR DUAL OR TH-
S6
             REE OR TWO OR RANGE? ? OR ALTERNATE? OR COUPLE? ?) (1W) S2:S3
                (TRIO OR THIRD OR 3RD) (1W) S2:S3
S7
           83
                (PARALLEL OR REDUNDANT OR SHADOW OR MIRROR) (1W) S2:S3
          138
S8
                EMAIL? OR EMESSAG? OR ECORRESPOND?
S9
         1598
        30778
                (E OR ELEC OR ELECTRONIC) (1W) (MAIL????? ? OR MESSAG? OR COR-
S10
             RESPOND?)
S11
                CYBERMAIL? OR VIRTUALMAIL OR (CYBER OR VIRTUAL) (1W) (MAIL??-
          459
             ?? ? OR MESSAG? OR CORRESPOND?)
                MAIL? ? OR MESSAGE? ? OR CORRESPONDENCE? OR TEXTMESSAGE?
S12
       207360
                CREAT???? ? OR GENERAT??? ? OR GENERATION? ? OR CONSTRUCT?
      4798373
S13
             OR COMPOSE? ? OR COMPOSING OR COMPOSITION? ?
                FORMULAT? OR PREPAR??? ? OR PREPARATION
      1191929
S14
                SOURCE? ? OR AUTHOR? OR ORIGINAT? OR INITIAT?
S15
      1350657
                PRODUCE? ? OR PRODUCING OR PRODUCTION OR PROD? ?
      2831419
S16
                EACH OR ANY OR ANYONE OR ALL OR EVERY OR EVERYONE OR BOTH
S17
      5535294
S18
        20678
                $9:S12(3N)S13:S16
S19
         3066
                S17(2W)S1:S3
S20
            5
                S19(10N)S18
                S20 AND S4:S8
S21
            1
S22
            0
                S1(10N)S18
S23
            0
                S1 AND S18
           39
                S19 AND S18
S24
                S24 AND S4:S8
S25
            8
         1169
                S17(5N)S18
S26
                S1 AND S26
S27
            0
                S26 AND S4:S8
            9
S28
           46
                S20:S25 OR S28
S29
S30
           46
                IDPAT (sorted in duplicate/non-duplicate order)
                IDPAT (primary/non-duplicate records only)
S31
           46
            (Item 5 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
             **Image available**
015765931
WPI Acc No: 2003-828133/200377
XRPX Acc No: N03-661483
  System integrating multimedia communication transmission and message
  management - for integrating the message management communication task of
  a link network and a communication network
Patent Assignee: HUANG G (HUAN-I)
Inventor: HUANG G
Number of Countries: 001 Number of Patents: 001
```

Patent Family:

Patent No Kind Date Applicat No Kind Date Week
TW 535444 A 20030601 TW 2001115580 A 20010627 200377 B

Priority Applications (No Type Date): TW 2001115580 A 20010627

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

TW 535444 A H04Q-003/00

Abstract (Basic): TW 535444 A

NOVELTY - The invention discloses a system integrating multimedia communication transmission and message management, which is used to integrate the message management communication task of a link network and a communication network. The system comprises a management computer used to input message and management data being forwarded to a main server. The main server decides a message transmission method based on management data and forwards the message through a link network to all district servers. All district servers decide to send message by e-mail, fax, telephone, mobile phone or mobile short message through at least one of link network and communication network to a link network subscriber or communication network subscriber. The invention can target at huge subscribers requesting different message transmission requirements added with customized creation and message delivery to significantly reduce the time cost and increase the service quality.

DwgNo 1/1

Title Terms: SYSTEM; INTEGRATE; COMMUNICATE; TRANSMISSION; MESSAGE; MANAGEMENT; INTEGRATE; MESSAGE; MANAGEMENT; COMMUNICATE; TASK; LINK; NETWORK; COMMUNICATE; NETWORK

Derwent Class: T01; W01; W02

International Patent Class (Main): H04Q-003/00

File Segment: EPI

Manual Codes (EPI/S-X): T01-N01D1; W01-B05A1A; W01-C05B2; W02-C03C1A

31/9/19 (Item 19 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

014132333 **Image available**
WPI Acc No: 2001-616544/200171
XRPX Acc No: N01-459838

Outgoing advertising messages load balancing method in client-server architecture, involves sending rich media electronic message with message ID to different target selected from list of potential recipients

Patent Assignee: MINDARROW SYSTEMS INC (MIND-N)

Inventor: DUNCAN M; MCEWAN R

Number of Countries: 090 Number of Patents: 002

Patent Family:

Patent No Kind Date Applicat No Kind Date Week A1 20011004 WO 2000US7996 Α 20000324 200171 B WO 200173573 Α 20000324 AU 200040312 A 20011008 AU 200040312 200208 WO 2000US7996 Α 20000324

Priority Applications (No Type Date): WO 2000US7996 A 20000324 Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes WO 200173573 Al E 16 G06F-015/16

Designated States (National): AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR

IE IT KE LS LU MC MW NL OA PT SD SE SL SZ TZ UG ZW AU 200040312 A G06F-015/16 Based on patent WO 200173573

Abstract (Basic): WO 200173573 A1

NOVELTY - A mail network having an initiator (10) and alternative servers (42,44,52,54,56,62,64) is provided. The initiator creates a campaign core having a list of potential recipients and a commercial message. Each server composes a rich media electronic message having commercial message and sends the message with message ID to a different target selected from the list. The message is tracked using the message ID.

USE - In client-server architecture for load balancing outgoing advertisement.

ADVANTAGE - Prevents network connecting the initiator to the server, from carrying excess traffic, since the initiator sends request to assemble and mail' rather than complete messages.

DESCRIPTION OF DRAWING(S) - The figure shows the schematic view of a network.

Initiator (10)

Alternative servers (42, 44, 52, 54, 56, 62, 64)

pp; 16 DwgNo 1/2

Title Terms: OUTGOING; ADVERTISE; MESSAGE; LOAD; BALANCE; METHOD; CLIENT; SERVE; ARCHITECTURE; SEND; RICH; MEDIUM; ELECTRONIC; MESSAGE; MESSAGE; ID; TARGET; SELECT; LIST; POTENTIAL; RECIPIENT

Derwent Class: T01

International Patent Class (Main): G06F-015/16

File Segment: EPI

Manual Codes (EPI/S-X): T01-H07C1; T01-H07C5S; T01-J05A; T01-J05B4P; T01-M02A1

31/9/20 (Item 20 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

013978556 **Image available**
WPI Acc No: 2001-462770/200150

Channel linking method using multi - server in push system Patent Assignee: KOREA TELECOM (KOTE-N); KT CORP (KTKT-N) Inventor: JANG J Y; KIM Y H; YOEN S H; CHANG J Y; YEON S H Number of Countries: 001 Number of Patents: 002

Patent Family:

Patent No Applicat No Kind Date Kind Date Week KR 2001004954 A 20010115 KR 9925728 Α 19990630 200150 B KR 333741 В 20020425 KR 9925728 Α 19990630 200270

Priority Applications (No Type Date): KR 9925728 A 19990630

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

KR 2001004954 A 1 G06F-015/00

KR 333741 B G06F-015/00 Previous Publ. patent KR 2001004954

Abstract (Basic): KR 2001004954 A

NOVELTY - A channel linking method using a **multi** - **server** in a push system is provided to make users get same information, keeping the same channel for **each server** in distributed **multi** - **server** environment.

DETAILED DESCRIPTION - A channel linking method consists of three steps. At the first step, among independent **multi** -push **servers**, the push server that the channel was changed becomes the temporary master

push server, and other servers become temporary slave push servers. At the second step, the temporary master push server watches the message queues. At the third step, according to the result of the watch, the temporary master push server transmits the messages that remains in the message queue to the temporary slave push servers, and so, the channels between multi -push servers are linked.

pp; 1 DwgNo 1/10

Title Terms: CHANNEL; LINK; METHOD; MULTI; SERVE; PUSH; SYSTEM

Derwent Class: T01

International Patent Class (Main): G06F-015/00

File Segment: EPI

Manual Codes (EPI/S-X): T01-J

(Item 26 from file: 350) 31/9/26

DIALOG(R) File 350: Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

Image available 012697813 WPI Acc No: 1999-503922/199942

XRPX Acc No: N99-376733

E-mail transfer system for E-mail management system - performs E-mail transfer between master file server on intranet and slave file server on internet

Patent Assignee: MITSUBISHI ELECTRIC CORP (MITQ) Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Date Applicat No Kind Date Week Kind A 19990810 JP 9822418 Α 19980203 199942 B JP 11219326

Priority Applications (No Type Date): JP 9822418 A 19980203

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

JP 11219326 A 16 G06F-013/00

Abstract (Basic): JP 11219326 A

NOVELTY - The data communication between the intranet (2) and the internet (1) is performed through the fire wall (3). The transmission and reception of E-mail is carried out between the master file server (4) on the intranet and the slave file server (6) on the internet. USE - For transfer of E-mail in E-mail management system.

ADVANTAGE - Enables storage of E-mail in identical classification state in file controller of master/slave file server. Enables reading of E-mail by user using usual network terminal equipment in intranet. Eliminates need for modification of identical content for each server . Enables E - mail generation by user on inner side or exterior of fire wall. Reduces communication path usage period to forward E-mail efficiently. Reduces memory capacity of slave file controller by avoiding need for storage of all information. Enables efficient utilization of network resources. Facilitates efficient accessing of slave file controller by reducing accessing period. Avoids decoding of E- mail even if it is accidentally received by other system. Improves safety by preventing decipherment of E-mail on network. Facilitates usage of mobile network terminal equipment by various persons by deleting information about E-mail. DESCRIPTION OF DRAWING(S) - The figure shows block diagram of E-mail management system. (1) Internet; (2) Intranet; (3) Fire wall; (4) Master file server; (6) Slave file server.

Dwg.1/23

Title Terms: MAIL; TRANSFER; SYSTEM; MAIL; MANAGEMENT; SYSTEM; PERFORMANCE; MAIL; TRANSFER; MASTER; FILE; SERVE; SLAVE; FILE; SERVE

Derwent Class: P85; T01; W01

International Patent Class (Main): G06F-013/00

International Patent Class (Additional): G09C-001/00; H04L-009/32;

H04L-012/54; H04L-012/58 File Segment: EPI; EngPI

Manual Codes (EPI/S-X): T01-H; W01-A03B; W01-A05B; W01-A06G2

? t31/9/39

31/9/39 (Item 39 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

004478132

WPI Acc No: 1985-305010/198549

Related WPI Acc No: 1990-187474; 1990-187475; 1990-187476; 1990-187477;

1990-195737; 1990-232960 XRPX Acc No: N85-226798

Local area network for digital data processing system - joins users and sources using communications link with interface units each of which is connected to several users

Patent Assignee: DIGITAL EQUIP CORP (DIGI)

Inventor: DUFFY D; LAUCK A; MANN B; STRECKER W; DUFFY D J; LAUCK A J; LAUCK

A G; MANN B E; STRECKER W D

Number of Countries: 015 Number of Patents: 022

Patent Family:

racene ramitry	•						
Patent No	Kind		Applicat No	Kind	Date	Week	
EP 163577	A	19851204				198549	В
AU 8542661	A	19851205				198605	
FI 8502198	A	19851202				198611	
BR 8502706	Α	19860212				198613	
JP 61056538	Α	19860322	JP 85118662	A	19850531	198618	
US 4823122	Α	19890418	US 8788063	Α	19870824	198918	
CA 1257399	Α	19890711	•			198932	
AU 8941416	Α	19891221				199016	
AU 8941417	Α	19891221				199016	
US 4975904	Α	19901204	US 89433419	Α	19891107	199051	
US 4975905	Α	19901204	US 89412577	Α	19890925	199051	
CA 1279933	С	19910205				199111	
US 5058108	Α	19911015	US 89412576	A	19890925	199144	
EP 163577	В	19911211				199150	
DE 3584853	G	19920123				199205	
CA 1301941	С	19920526	CA 605259	Α	19890710	199227	
			CA 615862	Α	19900914		
AU 633510	В	19930204	AU 8542661	Α	19850601	199312	
			AU 8941416	A	19890914		
AU 633511	В	19930204	AU 8542661	Α	19850601	199312	
			AU 8941417	Α	19890914		
JP 5063706	Α	19930312	JP 85118662	Α	19850531	199315	
			JP 9232437	A	19850531		
JP 8214003	Α	19960820	JP 9232437	A	19850531	199643	
			JP 95281198	A	19850531		
US 5621734	Α	19970415	US 84616553	A	19840601	199721	
			US 8727033	A	19870319		
		•	US 8788063	Α	19870824		
			US 88178430	Α	19880406	•	
			US 89338485	Α	19890413		
			US 89412576	Α	19890925		
			US 91724064	Α	19910701		
			US 9331069	A	19930312		
			US 94225365	A	19940408		
US 5734659	Α	19980331	US 84616553	A	19840601	199820	

```
US 8727033
                   19870319
US 8788063
                Α
                    19870824
US 88178430
                    19880406
                Α
US 89338485
                Α
                    19890413
US 89412576
                А
                    19890925
US 91724064
                Д
                    19910701
US 9331069
                Α
                    19930312
US 94223245
                Α
                    19940401
```

Priority Applications (No Type Date): US 8788063 A 19870824; US 84616553 A 19840601; US 8727033 A 19870319; US 88177849 A 19880404; US 89433419 A 19891107; US 89412577 A 19890925; US 89412576 A 19890925; US 88178430 A 19880406; US 89338485 A 19890413; US 91724064 A 19910701; US 9331069 A 19930312; US 94225365 A 19940408; US 94223245 A 19940401 Cited Patents: Jnl.Ref; A3...8802; EP 160263; EP 81056; No-SR.Pub Patent Details: Patent No Kind Lan Pg Main IPC Filing Notes EP 163577 A E 49 Designated States (Regional): CH DE FR GB IT LI NL SE 23 US 4975904 Α US 4975905 22 Α US 5058108 24 Α EP 163577 В Designated States (Regional): BE CH DE FR GB IT LI NL SE H04L-005/22 Div ex application CA 605259 CA 1301941 C AU 633510 G06F-013/42 Div ex application AU 8542661 R Previous Publ. patent AU 8941416 AU 633511 G06F-015/16 Div ex application AU 8542661 R Previous Publ. patent AU 8941417 Div ex application JP 85118662 JP 5063706 H04L-012/28 Α JP 8214003 21 H04L-012/28 Div ex application JP 9232437 Α US 5621734 23 H04L-012/40 Cont of application US 84616553 Α Div ex application US 8727033 Div ex application US 8788063 Cont of application US 88178430 Cont of application US 89338485 Div ex application US 89412576 Cont of application US 91724064 Cont of application US 9331069 Div ex patent US 4823122 Div ex patent US 5058108 US 5734659 Α 22 H04J-003/00 Cont of application US 84616553 Div ex application US 8727033 Div ex application US 8788063 Cont of application US 88178430 Cont of application US 89338485 Div ex application US 89412576 Cont of application US 91724064 Cont of application US 9331069 Div ex patent US 4823122 Div ex patent US 5058108

Abstract (Basic): EP 163577 A

The network includes **several** device **server** units each of which converts to a service user and a number of nodes connected to a service provider and communications link to effect communications between the nodes and the units. This enables users and provides to communicate. Each node includes a device for transmitting a service advertising message over the link to identify the services provided. Each sensor device unit includes an advertising message receiving device connected to the link for receiving the message. A service table device

establishes a service table including several entries each including a node field and a service field, identifying a node and a service provided by the service provider connected to the node.

A selection device is responsive to an operator requesting a service for using the service table to requested service.

USE - Electronic mail, word processing, accounting or data communications over telephone lines.

Dwg.0/8

Abstract (Equivalent): EP 380141 B

A local area network (10) for interconnecting service users (12) and service providers (14), including a plurality of device server units (24) each of which connects to a service user (12) and a plurality of nodes (34) each connected to a service provider (12) and a communications link (16) to effect transfer of messages between the nodes (34) and device server units (24) to enable said service users (12) and service providers (14) to communicate, each said device server units (24) including: timing means (92) for generating a timing signal at the end of a predetermined timing interval; data storage means (106) for accumulating data from said service users (12) for transmission to said service providers (14); data waiting flag means (86) connected to said data storage means (106) and having a set condition when data is stored in said data storage means and a reset condition; and message transmission means (60,70) connected to said communications link (16), said timing means (92), said data storage means (106) and said data waiting flag means (86) for transferring data from said data storage means (106) over said communication link (16) in rseponse to the data waiting flag means (86) having a set condition if said timing means (92) has generated the timing signal; wherein each said node (34) includes node message transmission means (64,70) connected to said service providers (14) and said communications link (16) for transmitting messages to a device server unit (24) in response to the receipt of a message from said device server unit (24), characterised in that each message originating at each said node (34) includes a response requested flag field (R) having selected each said device server unit (24) further having message receiving means (60,70) for receiving messages, said message receiving means including means for setting data waiting flag means in response to the response requested flag field of a message having a predetermined value. (Dwg.1)e

EP 375664 B

A local area network for interconnecting service users (12) and service providers (14), including a plurality of device server units (24) each of which connects to a service user and a plurality of nodes (34), each connected to a service provider (14) and a communications link (16) to effect communications between the nodes (34) and device server (24) units to enable said service users (12) and service providers (14) to communicate, characterised by A. each node (34) including means for periodically transmitting a service advertising message (Fig. 2A) over said communications link (16) to identify the data processing services provided by the service providers (14) connected thereto, and B. each device server unit (24) including: i. advertising message receiving means connected to said communications link (16) for receiving said service advertising message; ii. service table means (Fig. 2B) for establishing a service table including a plurality of entries each including a node field which lists said plurality of nodes (34) and a service field which lists services provided by the service providers (14) connected to the node (34); and iii. selection means responsive to an operator requesting a service for using said service table to select the node (34) and service provider (14) to provide the requested data processing service wherein said service advertising message (Fig. 2A) further includes a rating for

each service, said service table means further including means for establishing, in each entry, a rating field in response to the rating from the service advertising message and said selection means further including means for using the contents of said rating entries in said service table in the selection of the node (34) and service provider (14) to provide the requested service. (Dwg.1/8)tEP 163577 B

A local area network for interconnecting service users (12) and service providers (14), including a plurality of device server units (24) each of which connects to a service user (12) and a plurality of nodes (34) each connected to a service provider (14) and a communications link (16) to effect communications between the nodes and device server units to enable said service users and service providers to communicate, characterised by A, each node (34) including means for periodically transmitting a service advertising message over said communications link to identify the services (54) provided by the service providers connected thereto, and B. each device server unit (24) including; i. advertising message receiving means connected to said communications link for receiving said service advertising message; ii, service table means for establishing a service table including a plurality of entries each including a node field which lists said plurality of nodes and a service field which lists services provided by the service providers connected to an identified node in said plurality of nodes; and iii. selection means responsive to an operator requesting a service for using said service table to select the node and service provider to provide the requested service. (26pp)t Abstract (Equivalent): US 5621734 A

A system for communicating between users connected to a server and service providers connected to a node, comprising:

means in said server for establishing first service sessions between said server and selected ones of said users;

means in said node for establishing second service sessions between said node and selected ones of said service providers; and

means in said server and in said node for supporting a virtual circuit therebetween and for gathering session messages generated by said first service sessions or said second service sessions into a single virtual circuit message for transfer through said virtual circuit.

Dwg.1/8 US 5058108 A

The users and providers connect to the communications link by means of interface units each of which may connect to several users or providers. The interface units communicate over the communications link by means of messages. When a user requires the use of a service, the interface unit establishes a virtual circuit between it and the interface unit connected to the service provider and a service session which allows the user and the service provider to communicate over the virtual circuit.

If several users connected to the one interface unit as the first user require services provided by providers which connected to the same interface unit as the first provider, they communicate in sessions over the same virtual circuits. The session messages are accumulated into single virtual circuit messages that are acknowledged in unison by the receiving interface unit.

USE/ADVANTAGE - Message transfer protocol improvement in LAN enhancing message transfer capability. (24pp)vUS 4975905 A

The users and providers connect to the communications link by means of interface units each of which may connect to several users or providers. The interface units communicate over the communications link using messages. When a user requires the use of a service, the interface unit . establishes a virtual circuit between it and the interface unit connected to the service provider and a service session

which allows the user and the service provider to communicate over the virtual circuit. If several users connected to the one interface unit as the first user require services provided by providers which connected to the same interface unit as the first provider, they communicate in sessions over the same virtual circuits.

The session messages are accumulated into signal virtual circuit messages that are acknowledged in unison by the receiving interface unit. Each virtual circuit in the unit's interface units includes a timer which reset when a message is transmitted over the virtual circuit and a data waiting flag set whenever data is present to be transmitted over the virtual circuit. The interface units are inhibited for transmitting over a virtual circuit unless the timer has timed out and the data waiting flag is set.

USE - Local area network for interconnecting terminals and other users and data processing systems and other service providers over communications link.

US 4975904 A

The interface units communicate over the communications link by means of messages. When a user requires the use of a service, the interface unit establishes a virtual circuit between it and the interface unit connected to the service provider and a service session which allows the user and the service provider to communicate over the virtual circuit. If several users connected to the one interface unit as the first user require services provided by providers which connected to the same interface unit as the first provider, they communicate in sessions over the same virtual circuits. The session messages are accumulated into signal virtual circuit messages that are acknowledged in unison by the receiving interface unit.

Each virtual circuit in the user's interface units includes a timer which reset when a message is transmitted over the virtual circuit and a data waiting flag set whenever data is present to be transmitted over the virtual circuit. The interface units are inhibited from transmitting over a virtual circuit unless the -timer has timed out and the data waiting flag is set.

USE - Local area network for interconnecting terminals and other users and data processing systems and other service providers over communications link via interface units each of which may connect to several users or providers.

US 4823122 A

When a user requires the use of a service, the interface unit establishes a virtual circuit between it and the interface unit connected to the service provider and a service session which allows the user and the service provider to communicate over the virtual circuit. If several users connected to the one interface unit as the first user require services provided by providers which connected to the same interface unit as the first provider, they communicate in sessions over the same virtual circuits.

The session messages are accumulated into single virtual circuit messages that are acknowledged in unison by the receiving interface unit. Each virtual circuit in the users' interface units includes a timer which reset when a message is transmitted over the virtual circuit and a data waiting flag set whenever data is present to be transmitted over the virtual circuit. The interface units are inhibited from transmitting over a virtual circuit unless the timer has timed out and the data waiting flag is set.

Title Terms: LOCAL; AREA; NETWORK; DIGITAL; DATA; PROCESS; SYSTEM; JOIN; USER; SOURCE; COMMUNICATE; LINK; INTERFACE; UNIT; CONNECT; USER Derwent Class: T01; W01

International Patent Class (Main): G06F-013/42; G06F-015/16; H04J-003/00; H04L-005/22; H04L-012/28; H04L-012/40

International Patent Class (Additional): G06F-013/00; H04J-003/02;

H04J-003/26; H04L-011/00; H04L-012/56; H04Q-001/00

File Segment: EPI

Manual Codes (EPI/S-X): T01-C03; T01-J02; W01-A03; W01-A06X; W01-C05B

?

```
File 348: EUROPEAN PATENTS 1978-2005/Jun W02
         (c) 2005 European Patent Office
File 349:PCT FULLTEXT 1979-2005/UB=20050616,UT=20050609
         (c) 2005 WIPO/Univentio
File 324:German Patents Fulltext 1967-200523
         (c) 2005 Univentio
                Description
        Items
                MULTISERVER?
S1
           69
       107349
S2
                SERVER? OR CLIENTSERVER? OR RAS OR MAILSERVER? OR WEBSERVE-
             R? OR PRINTSERVER? OR FILESERVER? OR HTTPSERVER? OR FTPSERVER?
                MICROSERVER? OR MINISERVER? OR PROXYSERVER? OR DATASERVER?
S3
          214
                (PLURALIT? OR MANY OR MULTI OR SEVERAL OR NUMEROUS OR ADDI-
S4
         9618
             TIONAL OR DIFFERENT OR MULTIPLE OR MULTITUD? OR PLURIF?) (1W) S-
S5
         7456
                (PLURIF? OR SECOND? OR 2ND OR BOTH OR VARIETY OR GROUP? ? -
             OR CLUSTER? ? OR NUMBER OR ALTERNATIVE OR PAIR? ?) (1W) S2:S3
S6
        15804
                (NETWORK? ? OR CHAIN? ? OR SERIES OR ANOTHER OR DUAL OR TH-
             REE OR TWO OR RANGE? ? OR ALTERNATE? OR COUPLE? ?) (1W) S2:S3
                (TRIO OR THIRD OR 3RD) (1W) S2:S3
S7
          818
S8
          572
                 (PARALLEL OR REDUNDANT OR SHADOW OR MIRROR) (1W) S2:S3
S9
        25056
                EMAIL? OR EMESSAG? OR ECORRESPOND?
        47383
                (E OR ELEC OR ELECTRONIC) (1W) (MAIL????? ? OR MESSAG? OR COR-
S10
             RESPOND?)
S11
                CYBERMAIL? OR VIRTUALMAIL OR (CYBER OR VIRTUAL) (1W) (MAIL??-
             ?? ? OR MESSAG? OR CORRESPOND?)
S12
       236198
                MAIL? ? OR MESSAGE? ? OR CORRESPONDENCE? OR TEXTMESSAGE?
                CREAT???? ? OR GENERAT??? ? OR GENERATION? ? OR CONSTRUCT?
S13 2696873
             OR COMPOSE? ? OR COMPOSING OR COMPOSITION? ?
                FORMULAT? OR PREPAR???? ? OR PREPARATION
S14
       960828
S15
      1184139
                SOURCE? ? OR AUTHOR? OR ORIGINAT? OR INITIAT?
S16
      2132204
                PRODUCE? ? OR PRODUCING OR PRODUCTION OR PROD? ?
S17
      3377029
                EACH OR ANY OR ANYONE OR ALL OR EVERY OR EVERYONE OR BOTH
S18
        43929
                S9:S12(3N)S13:S16
S19
        12872
                S17(2W)S1:S3
S20
          108
                S19(10N)S18
S21
           17
                S20 (20N) S4:S8
S22
            1
                S1(10N)S18
S23
          166
                S19(20N)S18
S24
           31
                S23(20N)S4:S8
S25
           32
                S21:S22 OR S24
S26
           32
                IDPAT (sorted in duplicate/non-duplicate order)
                IDPAT (primary/non-duplicate records only)
S27
           32
S28
         7156
                S17 (5N) S18
S29
            0
                S1 (20N) S28
S30
           48
                S28 (20N) S4:S8
S31
           37
                S30 NOT S27
S32
           37
                IDPAT (sorted in duplicate/non-duplicate order)
                IDPAT (primary/non-duplicate records only)
S33
           36
```

?

(Item 12 from file: 349) 27/5,K/12 DIALOG(R) File 349: PCT FULLTEXT (c) 2005 WIPO/Univentio. All rts. reserv. **Image available** 01183719 SYSTEM AND METHOD FOR SECURE COMMUNICATION SYSTEME ET PROCEDE DE COMMUNICATION SECURISEE Patent Applicant/Assignee: PRIVASPHERE GMBH, Weinmanngasse 114, CH-8700 Kusnacht, CH, CH (Residence) , CH (Nationality), (For all designated states except: US) Patent Applicant/Inventor: HAUSER Ralf, Burglistrasse 23, CH-8002 Zurich, CH, CH (Residence), CH (Nationality), (Designated only for: US) Legal Representative: VOGEL Dany (agent), Isler & Pedrazzini AG, Gotthardstrasse 53, Postfach 6940, CH-8023 Zurich, CH, Patent and Priority Information (Country, Number, Date): WO 2004107687 A1 20041209 (WO 04107687) Patent: WO 2004CH329 20040601 (PCT/WO CH04000329) Application: Priority Application: WO 2003CH341 20030530 Parent Application/Grant: Related by Continuation to: WO 2003CH341 20030530 (CIP) Designated States: (All protection types applied unless otherwise stated - for applications 2004+)AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PL PT RO SE SI SK TR (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG (AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW (EA) AM AZ BY KG KZ MD RU TJ TM Main International Patent Class: H04L-012/58 International Patent Class: H04L-029/06 Publication Language: English Filing Language: English Fulltext Availability: Detailed Description Claims Fulltext Word Count: 9741

English Abstract

A system (1) for secure communication comprises a secure electronic messaging server (11) which is accessible by the public and a database (12) for storing data of messaging users. The data comprise the tracking of trust establishing out-of-band verification and the monitoring of the trust relations derived thereof, messaging user-based instruc[tions related to the handling of incoming mails, wherein the instructions comprise information related to an at least one security level chosen by the messaging user. The system (1) comprises means to automatically handle in- and outgoing mails according to these instructions. This system (1) allows transmitting messages privately and securely with minimum prerequisites for its users. The inventive system (1) allows a secure transmitting of messages between a sender (S) and a recipient (R), wherein only one of the two parties is a messaging user.

French Abstract

L'invention concerne un systeme (1) de communication securisee comprenant

un serveur de messagerie electronique securise (11) accessible au public, et une base de donnees (12) servant a stocker les donnees des utilisateurs de la messagerie. Les donnees comprennent le suivi de la verification hors bande de la creation de confiance et la surveillance des relations de confiance derivees, des instructions des utilisateurs de la messagerie associees a la gestion des courriers entrants, ces instructions comprenant des informations associees a au moins un niveau de securite selectionne par l'utilisateur de la messagerie. Ce systeme (1) comprend des moyens de gestion automatique des courriers entrants et sortants selon ces instructions. Ce systeme (1) permet la transmission privee et securisee de messages avec un minimum de conditions requises pour ses utilisateurs. Le systeme (1) de l'invention permet une transmission securisee des messages entre un expediteur (S) et un destinataire (R), un des deux participants seulement etant un utilisateur de la messagerie.

Legal Status (Type, Date, Text)
Publication 20041209 Al With international search report.

Fulltext Availability: Detailed Description

Detailed Description
... client side (e.g. equipping
their customers with security tokens, etc.)
When operating with a multitude of servers, these servers
are connected with a virtual private network. Each server
will contain the following extra sub module.

- a server collaboration policy manager
- a trust and membership directory
- a mail originator
- . a payload redirector
- optionally a hub server that offers a central policy-, trust-, and membership...

?

```
File 696: DIALOG Telecom. Newsletters 1995-2005/Jun 16
         (c) 2005 The Dialog Corp.
     15:ABI/Inform(R) 1971-2005/Jun 17
         (c) 2005 ProQuest Info&Learning
File
      98:General Sci Abs/Full-Text 1984-2004/Dec
         (c) 2005 The HW Wilson Co.
File 112:UBM Industry News 1998-2004/Jan 27
         (c) 2004 United Business Media
File 141:Readers Guide 1983-2005/Dec
         (c) 2005 The HW Wilson Co
File 484: Periodical Abs Plustext 1986-2005/Jun W2
         (c) 2005 ProQuest
File 553: Wilson Bus. Abs. FullText 1982-2004/Dec
         (c) 2005 The HW Wilson Co
File 608:KR/T Bus.News. 1992-2005/Jun 17
         (c) 2005 Knight Ridder/Tribune Bus News
File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
File 613:PR Newswire 1999-2005/Jun -17
         (c) 2005 PR Newswire Association Inc
File 635: Business Dateline(R) 1985-2005/Jun 17
         (c) 2005 ProQuest Info&Learning
File 810: Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
File 610: Business Wire 1999-2005/Jun 17
         (c) 2005 Business Wire.
File 369: New Scientist 1994-2005/Apr W4
         (c) 2005 Reed Business Information Ltd.
File 370:Science 1996-1999/Jul W3
         (c) 1999 AAAS
     20:Dialog Global Reporter 1997-2005/Jun 17
File
         (c) 2005 The Dialog Corp.
File 624:McGraw-Hill Publications 1985-2005/Jun 16
         (c) 2005 McGraw-Hill Co. Inc
File 634:San Jose Mercury Jun 1985-2005/Jun 16
         (c) 2005 San Jose Mercury News
File 674: Computer News Fulltext 1989-2005/Jun W2
         (c) 2005 IDG Communications
File 647:CMP Computer Fulltext 1988-2005/May W5
         (c) 2005 CMP Media, LLC
Set
        Items
                Description
S1
         1008
                MULTISERVER?
      1037065
                SERVER? OR CLIENTSERVER? OR RAS OR MAILSERVER? OR WEBSERVE-
S2
             R? OR PRINTSERVER? OR FILESERVER? OR HTTPSERVER? OR FTPSERVER?
         1191
                MICROSERVER? OR MINISERVER? OR PROXYSERVER? OR DATASERVER?
S3
        30421
                (PLURALIT? OR MANY OR MULTI OR SEVERAL OR NUMEROUS OR ADDI-
S4
             TIONAL OR DIFFERENT OR MULTIPLE OR MULTITUD? OR PLURIF?) (1W) S-
             2:S3
                (PLURIF? OR SECOND? OR 2ND OR BOTH OR VARIETY OR GROUP? ? -
S5
        18714
             OR CLUSTER? ? OR NUMBER OR ALTERNATIVE OR PAIR? ?) (1W) S2:S3
S6
                (NETWORK? ? OR CHAIN? ? OR SERIES OR ANOTHER OR DUAL OR TH-
             REE OR TWO OR RANGE? ? OR ALTERNATE? OR COUPLE? ?) (1W) S2:S3
                (TRIO OR THIRD OR 3RD) (1W) S2:S3
S7
          750
                (PARALLEL OR REDUNDANT OR SHADOW OR MIRROR) (1W) S2:S3
S8
         4416
                EMAIL? OR EMESSAG? OR ECORRESPOND?
S9
       843868
                (E OR ELEC OR ELECTRONIC) (1W) (MAIL????? ? OR MESSAG? OR COR-
S10
      2083835
             RESPOND?)
                CYBERMAIL? OR VIRTUALMAIL OR (CYBER OR VIRTUAL) (1W) (MAIL??-
S11
             ?? ? OR MESSAG? OR CORRESPOND?)
```

```
MAIL? ? OR MESSAGE? ? OR CORRESPONDENCE? OR TEXTMESSAGE?
S12
    4325214
               CREAT???? ? OR GENERAT??? ? OR GENERATION? ? OR CONSTRUCT?
            OR COMPOSE? ? OR COMPOSING OR COMPOSITION? ?
S14
     4141600
               FORMULAT? OR PREPAR??? ? OR PREPARATION
S15 11355618
               SOURCE? ? OR AUTHOR?? ? OR AUTHORING OR ORIGINAT? OR INITI-
    7825489
               PRODUCE? ? OR PRODUCING OR PRODUCTION OR PROD? ?
S16
S17 16488557
              EACH OR ANY OR ANYONE
S18
      170315
              S9:S12(3N)S13:S16
S19
       18969
              S17(2W)S1:S3
               (ALL OR EVERY OR EVERYONE OR BOTH) (2W) S1:S3
S20
       28279
S21
           28
              S19:S20(10N)S18
S22
           1
               S1(S)S18
S23
          134
               S19:S20(S)S18
S24
           33
               S23(S)S4:S8
              S21(S)S4:S8
S25
           2
S26
         9638
              S18(5N)(ALL OR EVERY OR EVERYONE OR BOTH OR S17)
           0
S27
               S1(S)S26
          42
               S26(S)S4:S8
S28
         177
               S21:S25 OR S28
S29
S30
          84
               $29/2001:2005
               S29 NOT S30
S31
          93
          77 RD (unique items)
S32
32/3,K/35
               (Item 1 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
```

12875665 (USE FORMAT 7 OR 9 FOR FULLTEXT)

(c) 2005 The Dialog Corp. All rts. reserv.

Digital Impact Unveils Impact 4.0; Web-based eMarketing Platform Gives Clients Campaign Automation and Delivery Throughout the Entire Customer Lifecycle

BUSINESS WIRE

September 18, 2000

JOURNAL CODE: WBWE LANGUAGE: English RECORD TYPE: FULLTEXT

WORD COUNT: 844

(USE FORMAT 7 OR 9 FOR FULLTEXT)

... to massively scale to meet the needs of each unique eMarketing campaign. The MPE tracks **each** unique **message** that it has **created** then records and organizes customer actions by tracking impressions, clicks and email responses. This information...

```
File
       9:Business & Industry(R) Jul/1994-2005/Jun 17
         (c) 2005 The Gale Group
File 13:BAMP 2005/Jun W1
         (c) 2005 The Gale Group
      16:Gale Group PROMT(R) 1990-2005/Jun 17
         (c) 2005 The Gale Group
      47: Gale Group Magazine DB(TM) 1959-2005/Jun 17
         (c) 2005 The Gale group
      88: Gale Group Business A.R.T.S. 1976-2005/Jun 17
         (c) 2005 The Gale Group
File 148: Gale Group Trade & Industry DB 1976-2005/Jun 17
         (c) 2005 The Gale Group
File 160: Gale Group PROMT(R) 1972-1989
         (c) 1999 The Gale Group
File 275: Gale Group Computer DB(TM) 1983-2005/Jun 17
         (c) 2005 The Gale Group
File 570: Gale Group MARS(R) 1984-2005/Jun 17
         (c) 2005 The Gale Group
File 621: Gale Group New Prod. Annou. (R) 1985-2005/Jun 17
         (c) 2005 The Gale Group
File 636: Gale Group Newsletter DB(TM) 1987-2005/Jun 17
         (c) 2005 The Gale Group
File 649: Gale Group Newswire ASAP (TM) 2005/Jun 08
         (c) 2005 The Gale Group
Set
        Items
                Description
         2356
                MULTISERVER?
S1
$2
      1855320
                SERVER? OR CLIENTSERVER? OR RAS OR MAILSERVER? OR WEBSERVE-
             R? OR PRINTSERVER? OR FILESERVER? OR HTTPSERVER? OR FTPSERVER?
                MICROSERVER? OR MINISERVER? OR PROXYSERVER? OR DATASERVER?
S3
         2624
S4
        58385
                (PLURALIT? OR MANY OR MULTI OR SEVERAL OR NUMEROUS OR ADDI-
             TIONAL OR DIFFERENT OR MULTIPLE OR MULTITUD? OR PLURIF?) (1W) S-
             2:$3
S5
        35498
                (PLURIF? OR SECOND? OR 2ND OR BOTH OR VARIETY OR GROUP? ? -
             OR CLUSTER? ? OR NUMBER OR ALTERNATIVE OR PAIR? ?) (1W) S2:S3
S6
       117573
                (NETWORK? ? OR CHAIN? ? OR SERIES OR ANOTHER OR DUAL OR TH-
             REE OR TWO OR RANGE? ? OR ALTERNATE? OR COUPLE? ?) (1W) S2:S3
S7
         1477
                (TRIO OR THIRD OR 3RD) (1W) S2:S3
         9991
                (PARALLEL OR REDUNDANT OR SHADOW OR MIRROR) (1W) S2:S3
S8
S9
       812213
                EMAIL? OR EMESSAG? OR ECORRESPOND?
S10
      2081811
                (E OR ELEC OR ELECTRONIC) (1W) (MAIL???? ? OR MESSAG? OR COR-
             RESPOND?)
S11
                CYBERMAIL? OR VIRTUALMAIL OR (CYBER OR VIRTUAL) (1W) (MAIL??-
             ?? ? OR MESSAG? OR CORRESPOND?)
S12
      4060727
                MAIL? ? OR MESSAGE? ? OR CORRESPONDENCE? OR TEXTMESSAGE?
                CREAT???? ? OR GENERAT??? ? OR GENERATION? ? OR CONSTRUCT?
             OR COMPOSE? ? OR COMPOSING OR COMPOSITION? ?
                FORMULAT? OR PREPAR??? ? OR PREPARATION
S14
      3629268
S15
      8337802
                SOURCE? ? OR AUTHOR?? ? OR AUTHORING OR ORIGINAT? OR INITI-
             AT?
S16
      8871244
                PRODUCE? ? OR PRODUCING OR PRODUCTION OR PROD? ?
S17
     31216996
                EACH OR ANY OR ANYONE
       154195
                S9:S12(3N)S13:S16
S18
S19
        38724
                S17(2W)S1:S3
                (ALL OR EVERY OR EVERYONE OR BOTH) (2W) $1:$3
S20
        54698
                S19:S20(10N)S18
S21
           61
S22
           0
                S1(10N)S18
S23
          201
                S19:S20(S)S18
S24
           38
                S23(S)S4:S8
S25
            0
                S21(S)S4:S8
```

```
12712
                S18 (5N) (ALL OR EVERY OR EVERYONE OR BOTH OR S17)
S26
S27
            3
                S1(S)S26
S28
           84
                S26(S)S4:S8
$29
          184
                S21 OR S24 OR S27:S28
                $29/2001:2005
S30
          43
          141
                S29 NOT S30
S31
                RD (unique items)
S32
           63
```

32/3,K/6 (Item 3 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2005 The Gale Group. All rts. reserv.

07812637 Supplier Number: 65270042 (USE FORMAT 7 FOR FULLTEXT)
Digital Impact Unveils Impact 4.0; Web-based eMarketing Platform Gives
Clients Campaign Automation and Delivery Throughout the Entire Customer
Lifecycle.

Business Wire, p0230

Sept 18, 2000

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 840

... deliver and track unique, personalized eMarketing messages. The MPE architecture is built upon a distributed **network** of **servers** designed to massively scale to meet the needs of each unique eMarketing campaign. The MPE tracks **each** unique **message** that it has **created** then records and organizes customer actions by tracking impressions, clicks and email responses. This information...

32/3,K/39 (Item 1 from file: 88)

DIALOG(R)File 88:Gale Group Business A.R.T.S.

(c) 2005 The Gale Group. All rts. reserv.

02067046 SUPPLIER NUMBER: 06282978

E-mail arrives. (Third-party E-mail products help manage connectivity applications)

King, Steven S.

PC Tech Journal, v6, n4, p106(12)

April, 1988

ISSN: 0738-0194 LANGUAGE: English RECORD TYPE: Fulltext; Abstract WORD COUNT: 5669 LINE COUNT: 00542

... the Trailblazer from Telebit.

If upgrading modems is not enough of a performance boost, an additional mail server can be added. Many E-mail products, including those to be reviewed in part 2 of this article, support more than one mail server per post office. Two mail servers can monitor the post office's message base and initiate calls independently. An effective way to use two mail servers on a multiple post office internetwork is to divide the system in half by mail volume, with each mail server servicing one-half of the system and routing mail destined for the other half to...?

```
File
       6:NTIS 1964-2005/Jun W1
         (c) 2005 NTIS, Intl Cpyrght All Rights Res
File
       2:INSPEC 1969-2005/Jun W1
         (c) 2005 Institution of Electrical Engineers
File
       8:Ei Compendex(R) 1970-2005/Jun W1
         (c) 2005 Elsevier Eng. Info. Inc.
      34:SciSearch(R) Cited Ref Sci 1990-2005/Jun W2
File
         (c) 2005 Inst for Sci Info
      35:Dissertation Abs Online 1861-2005/May
File
         (c) 2005 ProQuest Info&Learning
File
      65:Inside Conferences 1993-2005/Jun W2
         (c) 2005 BLDSC all rts. reserv.
      94:JICST-EPlus 1985-2005/Apr W4
File
         (c) 2005 Japan Science and Tech Corp(JST)
File
      95:TEME-Technology & Management 1989-2005/May W2
         (c) 2005 FIZ TECHNIK
      99: Wilson Appl. Sci & Tech Abs 1983-2005/May
File
         (c) 2005 The HW Wilson Co.
File 111:TGG Natl.Newspaper Index(SM) 1979-2005/Jun 17
         (c) 2005 The Gale Group
File 144:Pascal 1973-2005/Jun W1
         (c) 2005 INIST/CNRS
File 256:TecInfoSource 82-2005/May
         (c) 2005 Info.Sources Inc
File 266: FEDRIP 2005/Jun
         Comp & dist by NTIS, Intl Copyright All Rights Res
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
         (c) 1998 Inst for Sci Info
File 483: Newspaper Abs Daily 1986-2005/Jun 07
         (c) 2005 ProQuest Info&Learning
File 583: Gale Group Globalbase (TM) 1986-2002/Dec 13
         (c) 2002 The Gale Group
File 603: Newspaper Abstracts 1984-1988
         (c) 2001 ProQuest Info&Learning
Set
        Items
                Description
         2422
S1
                MULTISERVER?
                SERVER? OR CLIENTSERVER? OR RAS OR MAILSERVER? OR WEBSERVE-
S2
       282745
             R? OR PRINTSERVER? OR FILESERVER? OR HTTPSERVER? OR FTPSERVER?
                MICROSERVER? OR MINISERVER? OR PROXYSERVER? OR DATASERVER?
S3
          128
                 (PLURALIT? OR MANY OR MULTI OR SEVERAL OR NUMEROUS OR ADDI-
         5755
S4
             TIONAL OR DIFFERENT OR MULTIPLE OR MULTITUD? OR PLURIF?) (1W) S-
                 (PLURIF? OR SECOND? OR 2ND OR BOTH OR VARIETY OR GROUP? ? -
S5
         3512
             OR CLUSTER? ? OR NUMBER OR ALTERNATIVE OR PAIR? ?) (1W) S2:S3
                 (NETWORK? ? OR CHAIN? ? OR SERIES OR ANOTHER OR DUAL OR TH-
S6
        13839
             REE OR TWO OR RANGE? ? OR ALTERNATE? OR COUPLE? ?) (1W) S2:S3
                 (TRIO OR THIRD OR 3RD) (1W) S2:S3
           77
S7
                 (PARALLEL OR REDUNDANT OR SHADOW OR MIRROR) (1W) S2:S3
         1503
S8
                EMAIL? OR EMESSAG? OR ECORRESPOND?
S9
        21557
        99406
                (E OR ELEC OR ELECTRONIC) (1W) (MAIL????? ? OR MESSAG? OR COR-
S10
             RESPOND?)
                CYBERMAIL? OR VIRTUALMAIL OR (CYBER OR VIRTUAL) (1W) (MAIL??-
S11
             ?? ? OR MESSAG? OR CORRESPOND?)
                MAIL? ? OR MESSAGE? ? OR CORRESPONDENCE? OR TEXTMESSAGE?
S12
       579642
                CREAT???? ? OR GENERAT??? ? OR GENERATION? ? OR CONSTRUCT?
S13
      9940066
             OR COMPOSE? ? OR COMPOSING OR COMPOSITION? ?
                FORMULAT? OR PREPAR??? ? OR PREPARATION
      3080670
S14
      9125007
                SOURCE? ? OR AUTHOR?? ? OR AUTHORING OR ORIGINAT? OR INITI-
S15
             AT?
                PRODUCE? ? OR PRODUCING OR PRODUCTION OR PROD? ?
      5473535
S16
```

y - 1 4

```
5161833
                EACH OR ANY OR ANYONE
S17
        18953
S18
                S9:S12(3N)S13:S16
         2177
S19
                S17 (2W) S1:S3
S20
         3019
                (ALL OR EVERY OR EVERYONE OR BOTH) (2W) S1:S3
S21
            5
                S19:S20(10N)S18
           12
S22
                S1 AND S18
S23
           26
                S19:S20 AND S18
S24
           13
                S23 AND S4:S8
S25
                S21 AND S4:S8
           4
         1252
                S18(5N)(ALL OR EVERY OR EVERYONE OR BOTH OR S17)
S26
                S1 AND S26
S27
           1
S28
            9
                S26 AND S4:S8
                S21:S25 OR S27:S28
S29
           43
           13
                S29/2001:2005
S30
                S29 NOT S30
S31
           30
S32
           22
                RD (unique items)
            (Item 1 from file: 2)
 32/7/1
DIALOG(R) File
                2: INSPEC
(c) 2005 Institution of Electrical Engineers. All rts. reserv.
          INSPEC Abstract Number: B9810-6210L-011, C9810-6150N-008
6002132
  Title: Reliable multicast group communication in networked distributed
systems
  Author(s): Uminski, P.W.
  Author Affiliation: Politech. Gdanskiej, Poland
  Journal: Zeszyty Naukowe Politechniki Slaskiej, Seria: Informatyka
         p.71-93
no.32
  Publisher: Wydawnictwo Politech. Slaskiej,
  Publication Date: 1997 Country of Publication: Poland
  CODEN: ZNPIET ISSN: 0208-7286
  SICI: 0208-7286(1997)32L.71:RMGC;1-E
  Material Identity Number: H071-98006
                      Document Type: Journal Paper (JP)
  Language: Polish
  Treatment: Practical (P)
```

Abstract: The client server programming model is a very popular model for constructing large scale distributed systems. This model allows us to specify and fulfil different reliability requirements for different parts of the system. The new idea of a highly reliable service is presented. This service, called a group server , is performed on several different nodes at the same time. Clients send messages to the server using reliable multicast protocol. The messages are addressed to the group rather then to the particular node. Due to the use of this protocol all nodes in the group can receive and generate the same messages . Therefore, all results all replicas should be the same-and a failure of one of the obtained by replicas does not lead to the failure of the whole service. We create a new multicast protocol, GREP (Group Reliable Protocol) to be used to access our server . This protocol allows clients to send a message to the group and guarantees that all members of the group will receive the correct message. It also generates a common response from the group, based on results obtained from each member of the group server . GREP is a token ring based protocol, where the token is used to synchronise all members of the group. This protocol is a multilevel protocol; different subprotocols are responsible for passing token and group synchronisation, receiving messages, voting and sending messages, and detecting and diagnosing faulty The node, which is producing results differing from the results of the other nodes is diagnosed as faulty and removed from the group until a successful recovery action is performed. (9 Refs)

Subfile: B C Copyright 1998, IEE

```
File 347: JAPIO Nov 1976-2005/Feb (Updated 050606)
         (c) 2005 JPO & JAPIO
File 350:Derwent WPIX 1963-2005/UD, UM &UP=200538
         (c) 2005 Thomson Derwent
File 348: EUROPEAN PATENTS 1978-2005/Jun W02
         (c) 2005 European Patent Office
File 349:PCT FULLTEXT 1979-2005/UB=20050616.UT=20050609
         (c) 2005 WIPO/Univentio
File 324:German Patents Fulltext 1967-200523
         (c) 2005 Univentio
                Description
Set
        Items
                AU=SMITH S?
S1
         3455
                (E OR ELEC OR ELECTRONI) (1W) (MAIL???? ? OR MESSAG? OR CORR-
S2
        57528
             ESPOND?)
S3
        26654
                EMAIL? OR EMESSAG? OR ECORRESPOND?
S4
          481
                S2:S3(5N)(VOLUME? ? OR MASS)
S5
            1
                S1 AND S4
           (Item 1 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
016662000
             **Image available**
WPI Acc No: 2004-820719/200481
Related WPI Acc No: 2002-303351
XRPX Acc No: N04-647961
  Electronic-mail messages transmission method in electronic
  telecommunication system, involves transmitting separate subsets of mail
  addresses to mail transfer agents which are geographically distant from
  subset transmission source
Patent Assignee: KALASH J T (KALA-I); RAYNER D P (RAYN-I); SCHMIDT K A
  (SCHM-I); SMITH S (SMIT-I); ZACH R J (ZACH-I)
Inventor: KALASH J T; RAYNER D P; SCHMIDT K A; SMITH S; ZACH R J
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No
              Kind
                     Date
                             Applicat No
                                            Kind
                                                   Date
                                                             Week
US 20040221011 A1
                   20041104 US 2000196223
                                            Р
                                                  20000410
                                                             200481 B
                             US 2001829524
                                             Α
                                                 20010409
                             US 2003389419
                                             Α
                                                 20030314
Priority Applications (No Type Date): US 2000196223 P 20000410; US
  2001829524 A 20010409; US 2003389419 A 20030314
Patent Details:
Patent No Kind Lan Pg
                        Main IPC
                                     Filing Notes
US 20040221011 A1 28 G06F-015/16
                                     Provisional application US 2000196223
                                     CIP of application US 2001829524
Abstract (Basic): US 20040221011 A1
        NOVELTY - The electronic-mail (e-mail) addresses are provided and
    the separate subsets of e-mail addresses are transmitted to mail
    transfer agents (MTA) which are geographically distant from source of
    subset transmission. The e-mail message with MTA's are transmitted to
    addresses contained in the subsets.
        DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the
    following:
        (1) electronic-mail messages transmitting system;
        (2) machine-readable recorded medium for storing electronic-mail
```

messages transmission program; and (3) computer data signal.

USE - For transmitting electronic-mail messages generated in personal computer (PC) through internet, in electronic telecommunication system.

ADVANTAGE - The high- volume e - mail messages are processed and transmitted to large number of recipients, easily and efficiently. DESCRIPTION OF DRAWING(S) - The figure shows a flowchart illustrating the e-mail messages transmission method.

pp; 28 DwgNo 3/12

Title Terms: ELECTRONIC; MAIL; MESSAGE; TRANSMISSION; METHOD; ELECTRONIC; TELECOMMUNICATION; SYSTEM; TRANSMIT; SEPARATE; SUBSET; MAIL; ADDRESS; MAIL; TRANSFER; AGENT; GEOGRAPHICAL; DISTANCE; SUBSET; TRANSMISSION; SOURCE

Derwent Class: T01; W01

International Patent Class (Main): G06F-015/16

File Segment: EPI

Manual Codes (EPI/S-X): T01-N01C; T01-N02A1; T01-S03; W01-A06F2

PLUS Search Results for S/N 09829524, Searched June 20, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	431	(smith near steven).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L3	431	(SMITH near steven).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L4	3	(SMITH near steven).in. and (high near volume).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L5	964	(high near volume):ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L7	431	(smith near steven).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L8	431	(SMITH near steven).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L9	3	(SMITH near steven).in. and (high near volume).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L10	964	(high near volume).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L11	10728	(709/201,203,218,217 340/7.23,7. 29 379/93.24).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L12	1	L11 and ((mass or volume) near5 (mail\$3 near2 list\$3))	USPAT	OR	OFF	2005/06/17 11:18
L13	12	L11 and ((mass or volume) same ((mail\$3 or email or e-mail) near2 list\$3))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 11:18
L28	. 21	L27 and ((mass or volume) same ((mail\$3 or email or e-mail) near2 list\$3))	USPAT	OR	OFF	2005/06/17 11:18
L29	49	L27 and ((mass or volume) same ((mail\$3 or email or e-mail) near2 list\$3)) and (parsing or separat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 11:18

L30	49	L27 and ((mass or volume) same ((mail\$3 or email or e-mail) near2 list\$3)) and (parsing or separat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/17 11:18
L31	929	(mass near10 (mailing email\$3 e-mail\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L32	409	(mass near10 (mailing email\$3 e-mail\$3)) and delivery	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/17 11:18
L33	395	("718"/\$).ccls. and (mailing email\$3 e-mail\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 11:18
L34	131	("718"/104,105).ccls. and (mailing email\$3 e-mail\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 11:18
L35	2	("718"/104,105).ccls. and ((multiple plurality many) with ((mailing email\$3 e-mail\$3 delivery) near5 (servers)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 11:18
L36	520	((multiple plurality many) with ((mailing email\$3 e-mail\$3 delivery) near5 (servers)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 11:18
L37	457	((multiple plurality many) near10 ((mailing email\$3 e-mail\$3 delivery) near5 (servers)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 11:18
L38	495	((multiple plurality) near10 ((mail email\$3 e-mail\$3 delivery) near5 (servers)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 11:18
L39	344	((multiple plurality) near10 ((email\$3 e-mail\$3 delivery) near5 (servers)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 11:18
S11 7	30	("5937162").URPN.	USPAT	OR	OFF	2005/06/16 16:34
S11 8	3	S117 and ((delivery send\$3 transmit\$5) with (servers)) and (email e-mail (electronic near2 mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/16 16:38
S11 9	0	S117 and ((delivery send\$3 transmit\$5) with (servers)) and (email e-mail (electronic near2 mail)) and simultaneous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/16 16:39
S12 0	7	S117 and (deliver\$3 transmit\$5) and (email e-mail (electronic near2 mail)) and simultaneous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/16 16:40

	_					
S12 1	3	S117 and ((deliver\$3 transmit\$5) same (email e-mail (electronic near2 mail))) and simultaneous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/16 16:41
S12 2	0	S117 and ((mass (high volume)) with (email e-mail (electronic near2 mail))) and ((deliver\$3 send\$3 transmit\$4) near5 simultaneous\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/16 16:42
S12 4	68	((mass (high volume)) with (email e-mail (electronic near2 mail))) and ((deliver\$3 send\$3 transmit\$4) near5 simultaneous\$2) and servers	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2005/06/16 16:44
S12 5	16	((mass (high near2 volume)) with (email e-mail (electronic near2 mail))) and ((deliver\$3 send\$3 transmit\$4) near5 simultaneous\$2) and servers	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/16 16:45
S12 6	. 1	(manag\$3 same ((mass (high near2 volume)) with (email e-mail (electronic near2 mail)))) and ((deliver\$3 send\$3 transmit\$4) near5 simultaneous\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/16 16:46
S12 7	6	((managing administer\$3) same ((mass (high near2 volume)) with (email e-mail (electronic near2 mail))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/16 16:48
S13 0	3	(multiple with servers) and ((mass (high near2 volume)) and (email e-mail (electronic near2 mail))). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/16 16:49